



BAJA UPPER GRILLE WITH LED LIGHTING

(2004-2008 F-150)

INSTALLATION INSTRUCTIONS


CONTENTS

- (1) Upper Grille
- (2) Grille Mounting Arms
- (6) M5x20mm Studs
- (6) Flat Washers
- (6) M5 Nuts
- (6) Phillips Screws
- (2) Scotch-Locks

TOOLS REQUIRED


- 8mm Socket
- 10mm Socket
- Phillips Screwdriver
- Panel Removal Tool

SKU # T546995



STEP 1

Begin by removing (4) 10mm Bolts, as well as (6) 10mm nuts. Lift and remove the grille from the vehicle.



STEP 2

Install the grille mounting arms to the new grille using the provided (3) Phillips screws per side.




STEP 3

Using (6) provided studs, insert the studs behind the tabs along the top of the grille. Re-align grille to the vehicle.




STEP 4


Reinstall the (2) 10mm grille mounting arm bolts into each of the new mounting arms, then install (3) flat washers and (3) 8mm nuts on each side of the grille.

**STEP 5**

Remove (4) push clips using a panel removal tool to gain access behind the hood insulation pad. Route the grille wiring behind the hood insulation pad, then towards the passenger side headlight.

**STEP 6**

Remove the headlight by removing (1) push clip from the rubber cover, then removing (3) 10mm bolts from the headlight assembly.

**STEP 7**

Unplug the turn signal harness. Using provided Scotch-Locks, tap into the parking light harness to power the lights. Be sure grille lights work before fully reassembly.

| Vehicle Harness | - | Grille Lighting Harness |
|----------------------------|---|--------------------------------|
| Brown (Parking Light 12V+) | - | Red |
| Black (Ground) | - | Black |