

FENDER FLARES

(2021-2023+ F-150 RAPTOR)

INSTALLATION INSTRUCTIONS

CONTENTS

- (1) LH Front Fender Flare
- (1) RH Front Fender Flare
- (1) LH Rear Fender Flare
- (1) RH Rear Fender Flare
- (12) Front Flare Clips (RED)
- (12) Rear Flare Clips (WHITE)

TOOLS REQUIRED

7mm Socket Ratchet Panel Removal Tool



STEP 1

Front: Remove (5) screws from the fender flare assembly.

Rear: Remove (6) screws from the fender flare assembly.



STEP 2

Front: Firmly pull the flare away from the vehicle, and unplug the fender flare light.

Rear: Firmly pull the flare away from the vehicle.

Note: Fender flares clips commonly break. Remove any remaining clips in the fender from the fender, new clips are provided if needed.



STEP 3

Fit the new fender flare clips to the new fender flares. The RED clips are for the front fender flares, the WHITE clips are for the rear fender flares.



STEP 4

Front: Align the fender flare to the vehicle. Plug in the fender flare light, and press the flare to the vehicle to engage the clips. Secure the bottom of the flare using the original (5) screws.

Rear: Align the fender flare to the vehicle. Press the flare to the vehicle to engage the clips. Secure the bottom of the flare using the original (6) screws.

Installation is now complete.