

LED SIDE MIRROR SIGNAL LIGHTS

(2015-2023 F-150 - WITH OEM TOWING MIRRORS)

(2017-2023 F-250/F-350 - WITH OEM TOWING MIRRORS)

INSTALLATION INSTRUCTIONS

CONTENTS

- (1) LH Mirror Lamp
- (1) RH Mirror Lamp

TOOLS REQUIRED


- Flathead Screwdriver
- Plastic Pry Tool
- 7mm Socket
- Ratchet



STEP 1

Adjust the upper mirror to angle closest to the vehicle cab to access the rear mirror mounting clips. Using a flathead screwdriver, pry upwards on the (2) visible mirror mounting tabs while pulling the glass away. Manipulate the glass away from the mirror by pulling firmly.


Note: The mirror glass and mount is durable and intended to be removed.



STEP 2

Unplug the mirror heater connectors, and set the mirror glass aside on a soft surface.

STEP 3



Adjust the lower mirror to angle closest to the ground to access the rear mirror mounting clips. Using a flathead screwdriver, pry upwards on the (5) visible mirror mounting tabs while pulling the glass away. Manipulate the glass away from the mirror by pulling firmly.

Note: The mirror glass and mount is durable and intended to be removed.

STEP 4



Unplug the mirror heater connectors, and set the mirror glass aside on a soft surface.

STEP 5



Remove (5) 7mm screws from the mirror housing.

STEP 6



Using a plastic pry tool, remove the outer shell from the mirror housing. The mirror light will be loose within the case and the mirror body.

Lift the gray locking tab on the connector, then press the connector tab and pull the electrical connector from the light assembly.

STEP 7



Plug the new LED lamp into the vehicle harness, and fit the LED lamp into the mirror outer shell. Fit the mirror outer shell with the LED lamp to the mirror body, and secure the outer shell to the mirror body using the original (5) 7mm screws.

STEP 8



Plug in and press each mirror glass into the vehicle mirror body.

Repeat steps 1-8 for the remaining LED lamp.

Installation is now complete.